



2
0
1
6

2016 CATALOGUE

New Product





2016 NEW PRODUCT

We pursue **Excellence**

Produce **Reliable** products

Do the best

Do our best for **Eco-friendly**

Develop **New** Bathroom products



BRIEF INTRODUCTION

Since 1999 Strong Industry was founded in Taichung city, Taiwan. The initial stage, we mainly produce shower hose. And we expand our range gradually to Hand shower \ Rain shower \ Faucets \ Shower panel...etc.

Since its foundation, Strong Industry always at the leading edge of quality, our bath equipment meet international specifications. We also successfully provide OEM service to a range of international brands and export to famous DIY markets. From here we can know the high quality of products from Strong Industry obtained all circles deeply definitely.

Strong Industry is changing from an OEM entity to one that carries its own brand which is named ERDEN. We pursue Excellence, produce Reliable products, Do our best for Eco-friendly and develop New Bathroom products which are more various and affordable price that is ERDEN vision.

In recent years both domestic and international customers have upgraded their quality of life, following living room and bedroom, bathroom is becoming an important living spaces. ERDEN has faithfully followed the brand concept of “Greener \ Enjoyment \ Humanity”. We are taking this great opportunity to participate in horizontal alliances with the green life excellence cluster, by using an innovating greener and humanity concept to continue to develop the excellent products which are suitable for international consumption habits. Hope our customers not only enjoy using our products but also have a relaxed lifestyle. Therefore, we could come together to support the action of environmental protection.





目錄 INDEX (待改)

<i>Shower Ranel</i>	- 01
<i>O-Clean</i>	- 03
<i>Eco+</i>	- 05
<i>Eco++</i>	- 06
<i>Simply Modern</i>	- 07
<i>Spring / Unique / Luxter</i>	- 09
<i>RO Kitchen Faucet</i>	- 11
<i>IRIS -Pet Hand shower</i>	- 15
<i>Bidet Sprayer</i>	- 17




CERTIFICATE


IAPMO RESEARCH AND TESTING, INC.
5031 East Pflizer Drive Street, Ontario, California 91763-9386 • (909) 472-4100 Fax: (909) 472-4744 • www.iapmo.org

CERTIFICATE OF LISTING



IAPMO RESEARCH AND TESTING, INC. IS A THIRD PARTY CERTIFICATION BODY AND THEREFORE OPERATES UNDER THE SUPPLIER'S CONTROL AND THE RESPONSIBILITY OF BOTH A PARTY CONTRACTOR TO THE REQUIREMENTS OF APPLICABLE CODES AND STANDARDS. THIS ACTIVITY IS CONSIDERED WITH PERIODIC EVALUATION BY THE SUPPLIER LISTING AND MONITORING DIVISION AS WELL AS THE REQUIREMENTS OF APPLICABLE CODES AND STANDARDS. THIS LISTING IS SUBJECT TO THE REQUIREMENTS OF THE APPLICABLE CODES AND STANDARDS AS WELL AS THE REQUIREMENTS OF ANY RECOGNIZABLE, CURRENT OR FUTURE BY IAPMO RESEARCH AND TESTING, INC. OF THE PRODUCT COMPLIANCE BY LISTING HOLDER.





Effective Date:	March 2012	Void After: March 2013
Product:	flexible water connectors	file no. 1022
Issued To:	Dai Hing Enterprises Ltd. No. 42 Sec 2 Hsinsh Road Tainan District Tainan City 42748, Taiwan	


IDENTIFICATION: PRODUCTS SHALL BE MARKED WITH MANUFACTURER'S NAME OR TRADEMARK, A LISTING MARK "For Use With Water" To Accompany The "Listed Only" The products shall also bear the UPC® certification mark. Markings shall be by means of stamp or permanent mark on the product, a label on the product or a tag attached to the product.

CHARACTERISTICS: Flexible water connectors manufactured in various sizes, lengths and metal end fittings for hot or cold water applications that consist of an inner tube, which may or may not have an outer braided cover. Connectors are to be installed for use in accessible locations only. It is installed in accordance with the manufacturer's instructions, and the latest edition of the Uniform Plumbing Code and National Plumbing Code of Canada and relevant Canadian Standards shall bear the CBC mark of conformity. Manufactured in compliance with ASSE 1012.10 1-2011/CAN 124.1-13

Products listed on this certificate have been tested by an IAPMO R&T





Chairman, Product Certification Committee


CEO, THE IAPMO GROUP




This listing profile based upon the last date of the month included on the Effective Date and Valid After Date shown above. Any change in product manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any violation of non-compliance with applicable codes and standards, or of other non-compliance, may be deemed sufficient cause for revocation of this listing. Production of or reference to this listing for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. An alteration of the certificate will be grounds for revocation of listing.


IAPMO RESEARCH AND TESTING, INC.
5031 East Pflizer Drive Street, Ontario, California 91763-9386 • (909) 472-4100 Fax: (909) 472-4744 • www.iapmo.org

CERTIFICATE OF LISTING



IAPMO RESEARCH AND TESTING, INC. IS A THIRD PARTY CERTIFICATION BODY AND THEREFORE OPERATES UNDER THE SUPPLIER'S CONTROL AND THE RESPONSIBILITY OF BOTH A PARTY CONTRACTOR TO THE REQUIREMENTS OF APPLICABLE CODES AND STANDARDS. THIS ACTIVITY IS CONSIDERED WITH PERIODIC EVALUATION BY THE SUPPLIER LISTING AND MONITORING DIVISION AS WELL AS THE REQUIREMENTS OF APPLICABLE CODES AND STANDARDS. THIS LISTING IS SUBJECT TO THE REQUIREMENTS OF THE APPLICABLE CODES AND STANDARDS AS WELL AS THE REQUIREMENTS OF ANY RECOGNIZABLE, CURRENT OR FUTURE BY IAPMO RESEARCH AND TESTING, INC. OF THE PRODUCT COMPLIANCE BY LISTING HOLDER.



Effective Date:	February 2012	Void After: February 2013
Product:	slimline fixture fittings	file no. 1022
Issued To:	Dai Hing Enterprises Ltd. No. 42 Sec 2 Hsinsh Road Tainan District Tainan City 42748, Taiwan	


IDENTIFICATION: Each listing shall bear permanent legible markings to identify the manufacturer. This marking shall be the trade name, trademark, or other mark shown to identify the manufacturer. The product shall also bear all other markings required by the standard. The markings shall be located where it can be readily seen after installation is complete. The product shall also bear the UPC® certification mark.

CHARACTERISTICS: To be installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

Products comply with the applicable section of the latest edition of the Uniform Plumbing Code. Models listed to the National Plumbing Code of Canada and relevant Canadian Standards shall bear the CBC mark of conformity. Manufactured in compliance with ASSE 1012.10 1-2011/CAN 124.1-13

Products listed on this certificate have been tested by an IAPMO R&T


Chairman, Product Certification Committee


CEO, THE IAPMO GROUP



This listing profile based upon the last date of the month included on the Effective Date and Valid After Date shown above. Any change in product manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any violation of non-compliance with applicable codes and standards, or of other non-compliance, may be deemed sufficient cause for revocation of this listing. Production of or reference to this listing for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. An alteration of the certificate will be grounds for revocation of listing.

IAPMO RESEARCH AND TESTING, INC.
5031 East Pflizer Drive Street, Ontario, California 91763-9386 • (909) 472-4100 Fax: (909) 472-4744 • www.iapmo.org





CERTIFICATE OF LISTING

NSF / ANSI 61



IAPMO RESEARCH AND TESTING, INC. IS A THIRD PARTY CERTIFICATION BODY AND THEREFORE OPERATES UNDER THE SUPPLIER'S CONTROL AND THE RESPONSIBILITY OF BOTH A PARTY CONTRACTOR TO THE REQUIREMENTS OF APPLICABLE CODES AND STANDARDS. THIS ACTIVITY IS CONSIDERED WITH PERIODIC EVALUATION BY THE SUPPLIER LISTING AND MONITORING DIVISION AS WELL AS THE REQUIREMENTS OF APPLICABLE CODES AND STANDARDS. THIS LISTING IS SUBJECT TO THE REQUIREMENTS OF THE APPLICABLE CODES AND STANDARDS AS WELL AS THE REQUIREMENTS OF ANY RECOGNIZABLE, CURRENT OR FUTURE BY IAPMO RESEARCH AND TESTING, INC. OF THE PRODUCT COMPLIANCE BY LISTING HOLDER.



Effective Date:	February 2012	Void After: February 2013
Product:	drinking water system components - health effects	file no. 1022
Issued To:	Dai Hing Enterprises Ltd. No. 42 Sec 2 Hsinsh Road Tainan District Tainan City, 42748 Taiwan	

IDENTIFICATION: Each product shall be permanently and legibly marked with the manufacturer's name or trademark. The product may also be marked with the standard designation NSF/ANSI 61.

CHARACTERISTICS: Materials or products that come into contact with drinking water and/or drinking water treatment chemicals. Products and materials may include process media, protective materials, joining and sealing materials, pipe and related products, mechanical devices used with treatment/distribution systems, and mechanical plumbing devices. To be installed in accordance with the manufacturer's instructions.

Manufactured in compliance with NSF/ANSI 61-2012.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.


Chairman, Product Certification Committee


CEO, THE IAPMO GROUP



This listing profile based upon the last date of the month included on the Effective Date and Valid After Date shown above. Any change in product manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any violation of non-compliance with applicable codes and standards, or of other non-compliance, may be deemed sufficient cause for revocation of this listing. Production of or reference to this listing for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. An alteration of the certificate will be grounds for revocation of listing.

IAPMO RESEARCH AND TESTING, INC.
5031 East Pflizer Drive Street, Ontario, California 91763-9386 • (909) 472-4100 Fax: (909) 472-4744 • www.iapmo.org





CERTIFICATE OF LISTING



IAPMO RESEARCH AND TESTING, INC. IS A THIRD PARTY CERTIFICATION BODY AND THEREFORE OPERATES UNDER THE SUPPLIER'S CONTROL AND THE RESPONSIBILITY OF BOTH A PARTY CONTRACTOR TO THE REQUIREMENTS OF APPLICABLE CODES AND STANDARDS. THIS ACTIVITY IS CONSIDERED WITH PERIODIC EVALUATION BY THE SUPPLIER LISTING AND MONITORING DIVISION AS WELL AS THE REQUIREMENTS OF APPLICABLE CODES AND STANDARDS. THIS LISTING IS SUBJECT TO THE REQUIREMENTS OF THE APPLICABLE CODES AND STANDARDS AS WELL AS THE REQUIREMENTS OF ANY RECOGNIZABLE, CURRENT OR FUTURE BY IAPMO RESEARCH AND TESTING, INC. OF THE PRODUCT COMPLIANCE BY LISTING HOLDER.



Effective Date:	January 2012	Void After: January 2013
Product:	California Lead Drinking Water - Devices and Components	file no. 1022
Issued To:	Dai Hing Enterprises Ltd. No. 42 Sec 2 Hsinsh Road Tainan District Tainan City, Taiwan	

IDENTIFICATION: Each product shall bear permanent and legible markings to identify the manufacturer. This marking shall be the trade name, trademark or other mark shown to identify the manufacturer. The product and/or product packaging may also bear the text "Lead Drinking Water", "Complies with Lead Drinking Water", or "Non-Lead" above or in close proximity to the appropriate IAPMO 647 certification mark or the text "Certified by IAPMO R&T". The product packaging may also bear a grey dot, a check mark with circle, or any other home centers marking requirements.

CHARACTERISTICS: Products listed below are to be installed in accordance with the manufacturer's instructions. These products have been certified with a weighted average lead content <= 0.05%, solder and flux lead content <= 0.05%.

Manufactured in compliance with Section 116637 of the California Health & Safety Code (commonly known as 201.262).


Chairman, Product Certification Committee


CEO, THE IAPMO GROUP



This listing profile based upon the last date of the month included on the Effective Date and Valid After Date shown above. Any change in product manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any violation of non-compliance with applicable codes and standards, or of other non-compliance, may be deemed sufficient cause for revocation of this listing. Production of or reference to this listing for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. An alteration of the certificate will be grounds for revocation of listing.

European Certifying Organization
ECO s.p.a.

CERTIFICATE OF ASSESSMENT
Registration no: 714019910

Holder: FOSHAN NANHAI BAIHAO BATHROOM CO., LTD.
No.1 Lih Road, Honggang Village, Lishui Town, Nanhai District,
Foshan City, Guangdong Province, P.R.China

Product: Shower hose
Technical File no.: CEC010 (2006) dated 2010/12/08

Model: BHSBSP

Test Lab: CHINA CERREI(SICHUAN) LABORATORY
Test reports: no. SCC(10)-575-10 dated 2010/11/22

Reference Standards: EN 1113:2008

Conclusion: This assessment is based on an evaluation of the test report and sample of the above mentioned product and it is to certify that it has been made in conformity with the minimum requirements of standard EN 1113:2008.

Place and date of issue: Foshan, ITALY 2010/12/08

Authorized Signatory: [Signature]

Note: Any modification to the technical File should be first submitted to ECO to ensure further validity of this document.

The product must be put in the market only in accordance with the label indicated in the certificate of issue. Page 1 of 1

Via Magliana T. 1, area 40/18 Bay - Tel. +39 0432 324111 Fax +39 0432 324022 - Email: info@ecocert.it Website: www.ecocert.it

ERA
European Quality Assurance

CERTIFICATE

★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★

Certificate of Assessment

FO SHAN NANHAI BAIHAO BATHROOM CO., LTD.

Honggang Rd., 1st Paragraph, Lishui Town, Nanhai District,
Guang Dong Province, People's Republic of China

EQAICC hereby grants to the above company
whose Quality Management System is in conformance with

ISO 9001:2008

Scope:
Manufacture of Hoses and Shower Heads etc. for
Bathroom Accessories

Registration No. QA100300
First Issued on 1st May 2010
This certificate is valid until 30th April, 2013

The Chief Executive: [Signature]

IAF **ANAB**

CERTIFIED ISO 9001

For the certification marking reference, please check the registration of ISO 9001:2008 implementation by the website: www.eco.org
P.O. Box 100000 - 20090 Florence - Italy - Tel. +39 055 400111 Fax +39 055 400112 Email: info@eco.org

CE **EPRE** No.2010-C220

CHINA CERREI (SICHUAN) LABORATORY
No.45 Wen Ming Dong Road
Longgang Chengde Sichuan P.R. China
www.eprelic.org

DECLARATION OF CONFORMITY

CE DECLARATION OF CONFORMITY is hereby responsibility of the Name Grantee/ Responsible Party and issued to certify the following equipment:

Client: FOSHAN NANHAI BAIHAO BATHROOM CO., LTD.
Address: No.1 Lih Road Honggang Village Lishui Town Nanhai District Foshan City Guangdong P.R.C

Manufacturer: FOSHAN NANHAI BAIHAO BATHROOM CO., LTD.
Address: No.1 Lih Road Honggang Village Lishui Town Nanhai District Foshan City Guangdong P.R.C

Product: Shower hose
Model: BHSBSP
Date of issue: 22nd Nov, 2010
Test standards: EN 1113:2008

This DOC is only valid in connection with the test report below:
Report number: SCC(10)-575-10

Signature: [Signature] **Title:** Engineer manager

EPRE

ERA
European Quality Assurance

★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★

品質管理系統證書

佛山市南海百皓衛浴有限公司

廣東省佛山市南海區里水鎮星和路宏崗段一號

品質管理系統符合

ISO 9001:2008

認證範圍:
衛浴設備的製造，如軟管、花灑等

登錄編號 : QA100300
證書生效日 : 2010年05月01日
證書截止日 : 2013年04月30日


The Chief Executive: [Signature]

IAF **ANAB**

CERTIFIED ISO 9001

For the certification marking reference, please check the registration of ISO 9001:2008 implementation by the website: www.eco.org
P.O. Box 100000 - 20090 Florence - Italy - Tel. +39 055 400111 Fax +39 055 400112 Email: info@eco.org

Quality is the guarantee for enterprise subsist and process quality control, to control the process of productive is an important connection, and make the product reach the international industry standards.



冠德國際專利商標事務所
CHANG INTERNATIONAL PATENT & TRADEMARK OFFICE

407 崇文路四號三樓 電話: 886-4-27003337 FAX: 886-4-27003779
3F-5, No. 262, Sec. 2, Hsien-an Rd., Shin District Taichung City 407, Taiwan (R.O.C.)
Website: <http://www.gipatent.com> © 2011 GIP Patent & TM Office

美國專利證書通知

獲效: 百星企業有限公司 2016/01/26

專利名稱: 氣體注入裝置之止逆閥與氣體注入裝置

申請人: 吳昭基
創作人: 吳昭基
申請號碼: 14/192716 (發明)
申請日: 2014年02月27日
證書號碼: US9205386
未申編號: 0287-P013C-US

專利期限: 自 2015/12/8 至 2034/8/1 止。
下次繳費期限: 2019/6/8

申請送審	專利檢定	專利送交	頒發	技術報告書	再審	其他
			✓			

本局 台端: 有關本次送交本所代向美國專利局辦理之專利權證書, 本所業已接獲美國專利局寄來之專利證書正本。
本局專利期限本所詳載於前開, 一俟屆於期限滿前三個月提前通知繳費。
台端欲銷售此項產品時, 請於該產品或包裝加註「專利證書號碼: US9205386」
以誌存留, 俾令 台端之產品能獲得完善之保護。
此 此 順 頌
商 祺

冠德國際專利商標事務所 啟

United States Patent
Wu

Patent No.: US 9,205,386 B2
Date of Patent: Dec. 8, 2015

(04) GAS INJECTION DEVICE HAVING CHECK VALVE

(11) Applicant: Chao-Chung Wu, Taichung, (TW)
(12) Invention
(13) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b), to 14.5 years.

(21) Appl. No.: 14/192,716
(22) Filed: Feb. 27, 2014

(55) Prior Publication Data
US 2015/018893 A1 Aug. 27, 2015

(51) Int. Cl.
B22D 3/00 (2006.01)
F16K 1/2500 (2006.01)
B22D 3/00 (2006.01)
F16K 1/2500 (2006.01)

(52) U.S. Cl.
2012.0044 (2012.01); B22D 3/00 (2006.01); B22D 3/00 (2006.01); F16K 1/2500 (2006.01); B22D 3/00 (2006.01); F16K 1/2500 (2006.01); B22D 3/00 (2006.01); F16K 1/2500 (2006.01)

(58) Field of Classification Search
CPC: F16K 1/2500 (2006.01); B22D 3/00 (2006.01)

4 Claims, 2 Drawing Sheet

中華民國專利證書
新型第 M 478086 號

新型名稱: 氣體注入裝置之止逆閥與氣體注入裝置

專利權人: 吳昭基

新型創作人: 吳昭基

專利權期間: 自 2014年 5 月 11 日至 2024年 1 月 20 日止

上開新型業依專利法規定通過形式審查取得專利權
行使專利權如未提示新型專利技術報告不得進行警告
經濟部智慧財產局 局長 王美花

中華民國 103 年 5 月 11 日

中華民國專利證書
新型第 M 482671 號

新型名稱: 液體混合裝置

專利權人: 吳昭基

新型創作人: 吳昭基

專利權期間: 自 2014年 7 月 21 日至 2024年 3 月 20 日止

上開新型業依專利法規定通過形式審查取得專利權
行使專利權如未提示新型專利技術報告不得進行警告
經濟部智慧財產局 局長 王美花

中華民國 103 年 7 月 21 日

SHOWER RANEL

SB7270

Material: Brass

Shower head: 8" ABS


Hand shower: 1 setting function

Adjustable hook

Hose: Stainless Steel



DESIGN




Diverter allows the user to switch between hand shower and regular shower heads.

Patent number

Taiwan M276541

USA US 7.043.776 B1

China ZL2005 2 0002076.4



The ball joint allows water to enter the hand shower head.

Patent number

USA US 8.505.567 B1

China ZL 2012 2 0342426.1

O-Clean

Ozone Machine



Power Button
On/Off

Power Indicator

ON : ● Red Light

O3 : ● Blue Light



O-Clean

OH0003

Ozone Machine

Color : White

Power supply voltage: DC12V

Power consumption: 4.5W(max)

Size: 100(L)x100(W)x32(H)mm

Weight: 300g±10%


Ozone output: 150mg/hr

- * Deodorizing
- * Save Water
- * Kill Bacteria
- * Keep Food Fresh
- * Remove Odors
- * Remove Pesticides

Power port



Silicon tube port

Air inlet




Mini USB for ozone machine notification

Micro USB for temperature notification



Eco+



Eco+

No: VC1140


Size: 65 (H) x 28.5 (OD) mm

Material: ABS



Eco Bubble

No: MB0003SS
Size: 75 (H) x 27 (OD) mm
Material: ABS



For any rotation angle
Clean so easily!

Combine with Faucet

Large number of
Microbubbles

Combine with
Ozone Machine



Remove oil



Wrap the dirt



Whitening



Anion health



Deep clean

Microbubbles

Creates a large amount of tiny bubbles, a size of 10 microns. It is smaller than our skin pores so that it can deep clean skin pores and keep our skin soft and smooth.



Simply Modern

Simply Modern

No: FT1688SS

Size: 260(L) x 420(H) x Ø25(OD) mm

Material: 304 Stainless Steel

Functions : Ozone water / Tap water



- * Originated patented design Main Body - Nylon defibrillators non-toxic material.
- * Originated patented design - Venturi and check valve
- * Shower Diverter Cartridge (KEROX)
- * 304 Stainless Steel
- * Faucet is included new function of microbubbles.



Patent

Taiwan:M478086


China:ZL201420036832.4

US:US9205386






LED Display with ozone on.



Water inlet Water outlet



Ozone & Water collides and becomes ozone water.



The longer time ozone and water collides, the better the washing efficiency. Originat-ed patented design.



Kitchen Faucet Pull Out / Pull Down

Antibacterial effect is 3000 times stronger than chlorine.
Meets National Standards.
Ozone concentration is below 0.01 ppm.

Pull Down / Pull Out
Kitchen Faucet



Faucet



LED Display
with ozone on.

Combined with
ozone machine.



Special ozone
mixer valve.

Telescopic fixed ball
under the kitchen



* High-end design
Hidden ozone machine and pipelines.





Spring

No: FT1588SS

Size: 430(L) x 530(H)mm

Material: 304 Stainless Steel

Functions : Pull down faucet



Unique

No: FT1570SS

Size: 300(L) x 435(H)mm

Material: 304 Stainless Steel

Functions : Pull down faucet



Luxter

No: FT1560SS

Size: 270(L) x 300(H)mm

Material: 304 Stainless Steel

Functions : Pull out faucet





RO

Kitchen Faucet



Eco Drinking Water Faucet-Dual Temp

No: FT2084

Size: 170(L) x 260 (H)mm

Material: Brass

Finished: Chrome



Eco Drinking Water Faucet - Single Temp

No: FT2085

Size: 170(L) x 260(H)mm

Material: Brass

Finished: Chrome

Collection: Cold water OR Hot water

* Can replacement valve.





Cold water: Can regulate the handle
Hot water: Push the handle to pressed out the hot water, automatic bounce design.



Drink hot water




Cook soups



Brew milk



Boil vegetables



Brew Instant noodles



Brew tea



Brew coffee



Brew hot drinks


RO

Kitchen Faucet

★ Use secure pressing handle

Forward rotation: Cold water

Backward push and rotary: Hot water





ERDEN Classic Dual-Temp Drinking Faucet

No: FT2086

Size: 200(L) x 230(H)mm

Material: Brass


Finished: Chrome

Specialy:

1. Choose various colors.
2. Use the high specification design and lead-free materials.
3. Push and turn the handle to presse out the hot water, Use more safely.
4. Single control water, push and turn the handle to presse out the cold water and hot water.

IRIS

Pets Handshower



IRIS

NO: FT2021

Color : Red, Green, Blue

Size : 65x30x285mm

Material : ABS

Patent : M456697



* Designed for pets hand shower




Combs design
Let pet hair more supple



Arrangement the water
hole design





General speci-
fications thread



Water out and stop switch
Save the precious
water resources



Append with hose
and hose adapters
Use more convenient



- * Ozone microbubbles can deeply clean skin.
- * STOP switch, Water-saving up to 50%.
- * Massage the skin and let hair supple.



Portable Bidet



Portable Bidet

Color: Red, Green, Blue




Size: 55x210mm/250ml


Material: ABS

Temperature: +130°C/-30°C

Patent: M445464



Fill in water,
then turn off




Pressing



Pressing outlet switch



Putting in the
waterproof bag



Easy to carry



Rinse cleaner



Patent certification



Toilet paper reduction of 70%



Can use in all angles



Non-energy and electricity use



COMPANY INFORMATION

ERDEN

TEL: 886-4-25312575

FAX: 886-4-25344586

E-mail: sales@strongltd.com.tw

[Http://www.strongltd.com.tw](http://www.strongltd.com.tw)

NO.82, Sec.2, Minzu Rd., Tanzi Dist., Taichung City 42748, Taiwan (R.O.D)



THANK YOU !

Welcome to consult the product of ERDEN.